SIEMENS

iQ700, Built-in wine cooler, 212.5 x 45.1 cm
CI18WP03





Premium design built-in wine cabinet with two separately controlled temperature and humidity zones for optimal wine storage.

CI10ZH10	Handle St.steel single IC6 Design
CI18Z000	Stainless steel toe kick 18" wine
CI18Z590	St.steel doorpanel 18" wine w/o handle R
CI18Z690	St.steel doorpanel 18" wine w/o handle L
CI60Z000	Installation Kit SxS
CI60Z200	Heating side kit 230V EU Version
CI60Z300	Door lock for RW 414 and RW 464

Energy Efficiency Class (Regulation (EU) 2017/1369): ..... G
Average annual energy consumption in kilowatt hour per year (kWh/a) (EU) 2017/1369: .....145 kWh/annum
Capacity of 75 cl bottles (EU 2017/1369): 58
Airborne acoustical noise emissions (EU 2017/1369): ...42 dB(A) re 1pW
Airborne acoustical noise emission class (EU 2017/1369): ..... D
Built-in / Free-standing: ..... Built-in
Door panel options: .....Possible but accessory
Height: ..... 2125 mm
Width of the appliance: ..... 451 mm
Depth: ..... 608 mm
Min. required niche size for installation (HxWxD): .2134.0 x 457.0 x 610 mm
Connection Rating: ..... 300 W
Fuse protection: .....10 A
Voltage: .....220-240 V
Frequency: .....50-60 Hz
Plug type: ..... Gardy plug w/ earthing
Energy consumption winecooler: .....0.46 kWh/d
Energy consumption per Year winecooler: ..... 166.1 kWh/annum
Capacity: .....310 l
Number of compressors: 1
Number of independent cooling systems: 1
Interior ventilator: ..... Yes
Reversible Door Hinge: ..... Yes
Interior light switch: ..... No
Number of temperature zones: 2
Range of temperature (°C): ..... 5-20 °C
Economy setting: .....Yes
Carbon Air Filter: ..... No
Presenter Lighting: ..... Yes
Presenter Shelf: ..... Yes
Type of Glass Door: .....2 glass panels
Number of adjustable shelves: 0
Number of shelves: 10
Bottles per Shelf: 7
Material ofthe shelves: ..... wood
Interior ventilator: ..... Yes
Product name / Commercial code: CI18WP03
Energy efficiency rating: ..... A
Energy consumption annual - NEW (2010/30/EC): .....167.00 kWh/annum
Capacity in bottles (0.75l): 58
Climate class: .....SN-T
Noise level: .....42 dB(A) re 1pW
Door panel options: .....Possible but accessory
Type: .....Full-integrated
Noise level: .....42 dB(A) re 1pW
Connection Rating: ..... 300 W
Fuse protection: .....10 A
Voltage: .....220-240 V
Frequency: .....50-60 Hz
Energy consumption per Year winecooler: ..... 166.1 kWh/annum
Plug type: ..... Gardy plug w/ earthing
Required cutout/niche size for installation (in): ..... 84 x 18 x 24 3/4
Appliance Width (in): 17 3/4

SIEMENS

Height (in):	83 3/4
Depth (in):	24
Dimensions of the packed product:	88.97 x 21.65 x 29.13
Net weight:	290.000 lbs
Gross weight:	319.000 lbs
Capacity:	310 l
Net weight:	131.7 kg
Length electrical supply cord:	300.0 cm

4 242003 844816

SIEMENS

iQ700, Built-in wine cooler, 212.5 x 45.1 cm
CI18WP03

Accessories
- Gross Capacity (Total) : 310 l
- Gross Capacity (Fridge) : 310 l
- Net Capacity (Total) : 263 l
- Net capacity (Fridge) : 263 l
- Appliance Height: 2125 mm
- Appliance Width:451 mm
- Appliance Depth:608 mm

Cooling System
- 2 Temperature Zones

Convenience & Safety
- Shatterproof and easy to clean: the safetyGlass shelves.
- All glass shelves are made from extra strong, easy-to-clean safety glass. If something tips over, the spillage is contained and does not spill into the rest of the refrigerator compartment.
- Glass door with 2 panels
- Door open warning signal


Fridge Compartment
- 10 wooden grills


Design and Styling

SIEMENS

iQ700, Built-in wine cooler, 212.5 x 45.1 cm
CI18WP03


measurements in inches (mm)






** Door handle must be added to this measurement

* Depends on the thickness of the unit door. ¾" (19 mm) refers to the stainless steel door. (Special accessory.)





A: Area for installation of power connection.

B: Recess depth depends on kitchen design. For a flush installation, the depth needs to be at least 24 inches plus the thickness of the door panel. Panel dimensions based on a standard 1/8" reveal and 4 inch toe kick. Custom panel dimensions may vary depending on kitchen reveals and toe kick. Stainless steel models contain a panel-ready base unit, ready-to-install stainless steel door(s) with a right or left door swing and handle(s).