
SIEMENS

iQ700, Flex induction cooktop, 30 cm, Black, EX375FXB5I







Induction cooktop with innovative features that enable highly flexible cooking in any situation.

- ✓ The 30 cm wide cooktop is ideal for combining with other Domino or faceted design cooktops.
- ✓ flexInduction adapts the cooking zones to different cookware and pots up to 24 cm diameter – for more flexibility.
- ✓ Allows to control the temperature by entering it directly or by moving the slider with a single finger - touchSlider Control.
- ✓ powerMove Plus enables intuitive control thanks to three heating zones with different temperatures – activated by touch.
- ✓ Shorter heating times with up to 50% more power thanks to the powerBoost-function.

Product name/family: ..... Vario/Domino cooking zone cera
Built-in / Free-standing: ..... Built-in
Energy input: ..... Electric
Total number of positions that can be used at the same time: 2
Min. required niche size for installation (HxWxD): .....51 x 270 x 490-500 mm
Width of the appliance: ..... 302 mm
Dimensions: .....51 x 302 x 520 mm
Dimensions of the packed product (HxWxD): ... 126 x 383 x 597 mm
Net weight: ..... 5.5 kg
Gross weight: ..... 6.8 kg
Residual heat indicator: ..... Separate
Location of control panel: ..... Front
Basic surface material: ..... Ceramic
Color of surface: ..... Black, Alu, brushed
Length electrical supply cord: ..... 110.0 cm
Connection Rating: ..... 3700 W
Voltage: .....220-240 V
Frequency: .....50 Hz

4 242003 853931

HZ390011 Stainless Steel roaster with glas lid, HZ390012 Steaming Rack for Stainless Steel roaste, HZ390090 Wok Set consisting of 3 Items, HZ390512 Teppan Yaki (large), HZ390522 Griddle Plate, HZ394301 Connecting strip, HZ9ES100 Espresso maker 4 cups, HZ9FE280 Iron pan Ø 18 / 28 cm, HZ9FF010 Flex Pan, large, HZ9FF030 Flex Pan set, 3 pcs., HZ9FF040 Flex Pan set, 4 pcs., HZ9SE040 4 pieces Set, HZ9SE060 6 pieces Set, HZ9TY010 Teppan Yaki

SIEMENS

iQ700, Flex induction cooktop, 30 cm, Black, EX375FXB5I

Power and size
- 2 induction cooking zones
- Cooking Zones: 1 x Ø 400 mmx210 mm, 3.3 KW (max. Power levels 3.7 KW) Induction or 2 x Ø 200 mm, 2.2 KW (max. Power levels 3.7 KW) Induction

Design
- Stainless steel facetted design with front facette and side profiles
- Flex zone
- Can be combined with all hobs in comfort design

Features:
- powerMove Plus
- Timer with switch-off function for all zones
- Count down function count-up timer, per cooktop
- Energy efficiency display
- Automatic pan recognition
- power management function Automatic safety switch off Safety lock Wipe protection function
- Two stage residual heat indicators
- Main switch
- ReStart Function
- QuickStart Function
- Boost function for all zones


Technical Information
- connected directly
- Fixed power cable
- Total Connected load: 3.7 KW

Dimensions:
- Installation set to install 2 Dominos side by side
- Installation measurements: 270 mmx490 mm
- Length wire connection: 110 cm
- Min. worktop thickness: 16 mm

SIEMENS


iQ700, Flex induction cooktop, 30 cm, Black, EX375FXB5I

Measurements in mm




L	X
302	874
392	964

If two or more elements are installed right next to one another, one or several installation kits are required (2 elements 1 installation kit, 3 elements 2 installation kits, etc.)




① Ventilation gap must be present

All measurements in mm



Measurements in mm

measurements in mm




A: Minimum distance from the hob cut-out to the wall.
B: Recessed depth
C: The clearance between the surface of the worktop and the top of the front of the oven must be 30 mm. See space requirements for the oven.

The worktop into which the hob is installed must withstand loads of approx. 60 kg; suitable substructures must be used if required.

D	E	F
585-600	50	≥ 35
> 600	≥ 50	≥ 50


SIEMENS



① Ventilation gap must be present.

Measurements in mm


Measurements in mm



L	X
392	964
602	1174
812	1384
912	1484

When installing two Domino units right next to a hob, two assembly kits (HZ394301) are required


measurements in mm



L	X
392	662
602	872
812	1082
912	1182

When installing a Domino unit right next to a hob, an assembly kit (HZ394301) is required.

Measurements in mm




L	X
302	572
392	662

If two or more elements are installed right next to one another, one or several installation kits are required (2 elements 1 installation kit, 3 elements 2 installation kits, etc.)


SIEMENS

Measurements in mm
Assembly kit (HZ394301) for Domino



B: Dependent on the cut-out depth


Measurements in mm
Picture for the table Domino combination possibilities with corresponding devices and cutout dimensions



If two or more elements are installed right next to one another, one or several installation kits are required (2 elements 1 installation kit, 3 elements 2 installation kits, etc.)

Cutout dimension (X) depending on the combination (see combination table)

measurements in mm
Domino combination options with corresponding appliance and cut-out dimensions (see table)



E	F	G
585-600	50	≥ 35
> 600	≥ 50	≥ 50

When installing several elements side by side, several assembly kits are also required.

Cut-out dimensions (X) depending on the combination, see table:

measurements in mm
Domino combination options with corresponding appliance and cut-out dimensions

Width category:	30	40	60	70	80	90
Appliance width:	302	392	602	710	812	912

	A	B	C	D	L	X
2x30	302	302	-	-	604	**572**
1x30, 1x40	302	392	-	-	694	**662**
1x30, 1x60	302	602	-	-	904	**872**
1x30, 1x70*	302	710	-	-	1012	**980**
1x30, 1x80	302	812	-	-	1114	**1082**
1x30, 1x90	302	912	-	-	1214	**1182**
2x40	392	392	-	-	784	**752**
1x40, 1x60	392	602	-	-	994	**962**
1x40, 1x70*	392	710	-	-	1102	**1070**
1x40, 1x80	392	812	-	-	1204	**1172**
1x40, 1x90	392	912	-	-	1304	**1272**
3x30	302	302	302	-	906	**874**
2x30, 1x40	302	302	392	-	996	**964**
2x30, 1x60	302	302	602	-	1206	**1174**
2x30, 1x70*	302	302	710	-	1314	**1282**
2x30, 1x80	302	302	812	-	1416	**1384**
2x30, 1x90	302	302	912	-	1516	**1484**
1x30, 2x40	302	392	392	-	1086	**1054**
1x30, 1x40, 1x60	302	392	602	-	1296	**1264**
1x30, 1x40, 1x70*	302	392	710	-	1404	**1372**
1x30, 1x40, 1x80	302	392	812	-	1506	**1474**
1x30, 1x40, 1x90	302	392	912	-	1606	**1574**
3x40	392	392	392	-	1176	**1144**
2x40, 1x60	392	392	602	-	1386	**1354**
4x30	302	302	302	302	1208	**1176**
3x30, 1x40	302	302	302	392	1298	**1266**
2x30, 2x40	302	302	392	392	1388	**1356**
1x30, 3x40	302	392	392	392	1478	**1446**
1x30, 1x75	302	750	-	-	1052	**1016**
1x40, 1x75	392	750	-	-	1142	**1106**
2x30, 1x75	302	302	750	-	1354	**1318**
1x30, 1x40, 1x75	302	392	750	-	1444	**1408**

* Not possible with 70 cm induction hob