SIEMENS

iQ300, telescopic cooker hood, 60 cm, Silver metallic
LI64MA531I



The telescopic cooker hood: practically disappears into your upper cabinet, giving you a sleek kitchen front.

- ✓ iQdrive motor - The quiet, high-performance motor ensures efficient removal of odours and steam.
- ✓ LED light: Optimal visibility and atmosphere when cooking.
- ✓ Pleasantly quiet - motor.
- ✓ Intensive setting with automatic after revert setting
- ✓ Pleasantly quiet - motor

LZ11ITB14	Clean Air Standard odor filter (repl.)
LZ11ITI14	Clean Air Standard recirculation kit
LZ46521	Handle strip white
LZ46561	Handle strip black
LZ46850	Design-Handle strip

Typology: ..... Pull-out
Length electrical supply cord: ..... 175.0 cm
Min. required niche size for installation (HxWxD): ..... 162mm x 526.0mm x 290mm mm
Net weight: ..... 8.2 kg
Type of control: ..... Electronic
Number of speed settings: ..... 3-stages + intensive setting
Maximum output air extraction: ..... 268 m³/h
Boost position output recirculating: ..... 353 m³/h
Maximum output recirculating air: ..... 263 m³/h
Boost position air extraction: ..... 400 m³/h
Number of lights: 2
Noise level: ..... 62 dB(A) re 1pW
Diameter of air outlet: ..... 120 / 150 mm
Grease filter material: ..... Washable aluminium
Odour filter: ..... No
Air circulation: ..... Convertible
Optional accessories: LZ11ITB14, LZ11ITI14, LZ46521, LZ46561, LZ46850
Type of lamps used: ..... LED
Total power of the lamps: ..... 4 W
Grease filter type: ..... Multilayer cassette
Connection Rating: ..... 74 W
Fuse protection: ..... 16 A
Voltage: ..... 220-240 V
Frequency: ..... 50; 60 Hz
Plug type: ..... India plug (16 Ampere)
Type: ..... Built-in into the cabinet
Material body: ..... zinc plated
Plug type: ..... India plug (16 Ampere)
Dimensions of the product, with chimney (if exists) (in): ..... x x
Dimensions of the packed product: ..... 12.20 x 25.19 x 14.17
Net weight: ..... 18.000 lbs
Gross weight: ..... 21.000 lbs
Motor location: ..... Integrated motor in hood body
No-return airflow flap: ..... Yes
Length electrical supply cord: ..... 175.0 cm
Dimensions of the product, with chimney (if exists): .. 203 x 598.0 x 290.0 mm
Dimensions of the packed product (HxWxD): ... 310 x 640 x 360 mm
Net weight: ..... 8.2 kg
Gross weight: ..... 9.8 kg

4 242003 890189

iQ300, telescopic cooker hood, 60 cm, Silver metallic
LI64MA531I

Variant
- LI64MA531I silver metallic lacquer
- For installation into a 60cm wide cupboard

Design
- silver metallic lacquer Standard
- Push button with LED
- Steel filter cover, dishwasher safe


Technical information
- 3 x power levels plus intensive setting
- Maximum extraction power 280 m³/h (freeblowing)
- 2 x LM3-01_LED_1,5W
- Suitable for ducted and re-circulating operation only
- Recirculating kit


Comfort
- Noise min./max. Normal Level: 49/62 dB
- Light Intensity: 294 lux
- Colour Temperature: 3500 K


Dimensions:
- 60 cm silver metallic lacquer Standard hood
- Dimensions exhaust air (HxWxD): 203-203 x 598 x 290 mm
- Dimensions recirculating (HxWxD): 203-203 x 598 x 290 mm
- Diameter pipe Ø 150 mm (Ø 120 mm enclosed)


SIEMENS

iQ300, telescopic cooker hood, 60 cm, Silver metallic
LI64MA531I












SIEMENS



measurements in mm



measurements in mm



measurements in mm