iQ700, ceiling cooker hood, 105 cm, Black
LR18HLT65



The varioLift design hood ensures the individual height adjustment for top performance while cooking, a clear view when not in use and is always at your service via voice control.

- ✓ iQdrive motor - The quiet, high-performance motor ensures efficient removal of odours and steam.
- ✓ Detects steam and odours to adjust the power level automatically – climateControl sensor with cookConnect system
- ✓ varioLift – Clean air while you're cooking and a clear view afterwards.
- ✓ voiceControl – Control hood functions and lighting using your voice.
- ✓ Home Connect – The app that makes your hood work smarter.

LZ20JXP00	Long Life odor filter (replacement)
LZ21JXB16	Clean Air Plus odor filter (replacement)

Typology: ..... Island/Ceilling
Length electrical supply cord: ..... 0.0 cm
Net weight: ..... 61.7 kg
Type of control: ..... Electronic
Number of speed settings: ..... 3-stage + 2 intensive
Boost position output recirculating: ..... 713 m³/h
Maximum output recirculating air: ..... 411 m³/h
Number of lights: 6
Grease filter material: ..... Other
Odour filter: ..... Yes
Air circulation: ..... Recirculating air only
Optional accessories: LZ20JXP00, LZ21JXB16
Grease filter type: ..... Multilayer cassette
Connection Rating: ..... 250 W
Voltage: ..... 220-240 V
Frequency: ..... 50; 60 Hz
Plug type: ..... No plug
Type: ..... Island
Material body: ..... Stainless steel, Glass
Plug type: ..... No plug
Dimensions of the product, with chimney (if exists) (in): ..... x x
Dimensions of the packed product: ..... 31.49 x 52.75 x 27.95
Net weight: ..... 136.000 lbs
Gross weight: ..... 176.000 lbs
Motor location: ..... Integrated motor in hood body
No-return airflow flap: ..... No
Length electrical supply cord: ..... 0.0 cm
Dimensions of the product, with chimney (if exists): ..... x 1050.0 x 600.0 mm
Dimensions of the packed product (HxWxD): . 800 x 1340 x 710 mm
Net weight: ..... 61.7 kg
Gross weight: ..... 79.7 kg

4 242003 880418

SIEMENS

iQ700, ceiling cooker hood, 105 cm, Black
LR18HLT65

Variant
- Ceiling hood
- For ceiling mounted installation

Design
- Rim ventilation
- Rim extraction

Technical information
- Recirculating operation only
- Efficient BLDC-technology
- Max. extraction rate: 729 m3/h

Comfort
- Cooktop-based hood control
- (with matching cooktop)
- forced delay shutoff, Air quality sensor

Technical Information
- Steel filter cover, dishwasher safe
- Saturation display filter: grease- and charcoal filter
- 6 x 3W LED
- Light dimmer function
- Softlight with dimmer function
- Light Intensity: 1156 lux
- 3 speeds plus 2 intensive
- Automatic intensive revert
- Automatic 10 minutes after running
- Remote Monitoring and Control for connected home appliances and operation via smartphone or tablet (only in countries where Home Connect service is available)
- The Home Connect functionality can be extended by integrating numerous applications from external cooperation partners (partnerships)
- Voice Control enabled via popular voice assistants (only in countries where this service is available)
- interval function: available via Home Connect
- silence function: available via Home Connect


Connection and Consumption
- Total Connected load: 250 W

Dimensions:


SIEMENS

iQ700, ceiling cooker hood, 105 cm, Black
LR18HLT65

measurements in mm




measurements in mm
Recommended for ceiling heights up to 3500 mm



A: Optimum performance 700-1500
B: From upper edge of pan support

measurements in mm
Ceiling storage recess



A: Concrete ceiling
B: ≥ 25 mm all around
C: Depending on the cooking method, residual moisture may escape from the appliance even after use. We therefore recommend treating the ceiling storage recess with a paint that prevents mould formation.