
Series 4, Gas hob, 75 cm, Tempered glass, Black
PND7B6B10I



- **6mm Tempered Glass**
- **Low Profile Stainless Steel Cooking Surface is Easily Accessible and Quick to Clean**

HEZ298105	Simmer plate
HEZ298114	Small pot support


Product name/family: ..... gas hob w integrated controls
Built-in / Free-standing: ..... Built-in
Energy input: ..... Gas
Total number of positions that can be used at the same time: 3
Type of control setting devices: ..... sword knobs
Min. required niche size for installation (HxWxD): ..... 45 x 560-562 x 480-492 mm
Width of the appliance: ..... 752 mm
Dimensions: ..... 56x752x520 mm
Dimensions of the packed product (HxWxD): ..... 165 x 841 x 656 mm
Net weight: ..... 13.8 kg
Gross weight: ..... 15.6 kg
Residual heat indicator: ..... without
Location of control panel: ..... Front
Basic surface material: ..... Tempered glass
Color of surface: ..... Black
Color of frame: ..... Black
Length electrical supply cord: ..... 100.0 cm
Knob Material: ..... Plastic
Sealed Burners: ..... No
Connection rating: ..... 1 W
Gas connection rating: ..... 10300 W
Fuse protection: ..... 3 A
Voltage: ..... 220-240 V
Frequency: ..... 50 Hz
Energy input: ..... Gas
Gas type: ..... Liquidgas G30,31 28-30/37 mbar
Alternative gas type: ..... Nat gas H/E/(L) 20 (25) mbar
Plug type: ..... India plug (6 Ampere)
Appliance Dimensions (h x w x d) (in): ..... x x
Dimensions of the packed product: ..... 6.49 x 25.82 x 33.11
Net weight: ..... 30.000 lbs
Gross weight: ..... 34.000 lbs
Total number of positions that can be used at the same time: 3
Length electrical supply cord: ..... 100.0 cm
Min. required niche size for installation (HxWxD): ..... 45 x 560-562 x 480-492 mm
Dimensions: ..... 56x752x520 mm
Dimensions of the packed product (HxWxD): ..... 165 x 841 x 656 mm
Net weight: ..... 13.8 kg
Gross weight: ..... 15.6 kg

4 242005 309535

Series 4, Gas hob, 75 cm, Tempered glass, Black
PND7B6B10I

Series 4, Gas hob, 75 cm, Tempered glass, Black
PND7B6B10I

Measurements in mm



A: Min. distance from the hob cut-out to the wall

B: Position of gas connection in the cut-out

C: With fitted oven underneath possibly more; see space requirements for the oven